DATE: 15 Jan 02

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN)
of the

AN/TPS-59(V)3 26V Regulator CCA NSN 5999-01-142-7337

SOW-04-C4I-89908B-2/1

- 1. This SOW identifies the work effort that shall be performed by the contractor to IROAN the AN/TPS-59(V)3 26V Regulator Circuit Card Assembly (CCA), NSN 5999-01-142-7337, part number 77D608850-G1, CAGE 03538.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E. HERNDON

Logistics Management Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

RICHARD . JONES

Team Leader

Equipment Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN) of the

AN/TPS-59(V)3

26V Regulator Circuit Card Assembly (CCA) NSN 5999-01-142-7337

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor to IROAN the AN/TPS-59(V)3 26V Regulator Circuit Card Assembly (CCA), NSN 5999-01-142-7337, part number 77D608850-G1, CAGE 03538 (hereafter referred to as "Regulator Assembly"). This document contains requirements to restore the Regulator Assembly to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.
- 2.1 Military Standards.

MIL-STD-2073-ID

DoD Standard Practice for Military Packaging

MIL-STD-129

DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications.

Engineering Drawing

77D608850, CAGE 03538

Regulator Assy., 26V

Engineering Drawing

77D608850G1, CAGE 03538

Parts List, Regulator Assy., 26V

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Quality Systems - Model for Quality Assurance in

Q9003-1994 Final Inspection and Test

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive (ESDS) Devices

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements.

- 3.1 The contractor shall repair the Regulator Assembly strictly in accordance with the requirements as specified in Engineering Drawing 77D608850 and Parts List 77D608850G1, CAGE 03538. Additionally, the contractor shall be responsible for developing a test plan and documenting the test results in a Test Data Report (TDR). The contractor shall be responsible for all parts, materials, labor, facilities, tools and test equipment necessary to inspect and repair only as necessary the equipment in accordance with this SOW.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T).
- 3.2.1 The contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this Statement of Work. Items scheduled for long term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia, Specialized Preservation Code "GX". Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level

"B" requirements. This item is subject to Electrostatic Sensitivity and shall be packed into a reusable fast-pack container.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use requirement, shall be identified; in writing, by the Logistics Management Specialist (LMS), MCSC (Code BMADS), Albany, Georgia.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.5 <u>Electrostatic Discharge (ESD) Control Program</u>. The contractor shall establish, implement, and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- 4.0 Reports. The contractor shall develop a Test Data Report (TDR) in contractor format, based on test requirements to be developed by the contractor (in accordance with this SOW),

which references this SOW, the NSN, part number and serial number of the Regulator Assembly. Upon request, the contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS). Electronic address is: herndonle@matcom.usmc.mil. Mailing address is: Commander, Marine Corps Systems Command, Attn: Logistics Management Specialist, Code BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. Facsimiles may be sent to (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, Code BMADS.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Heedquartars Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suits 1204, Artington, VA 22202-4302. Respondents should be swere that notwithstanding any other provision of lew, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO MOT RETURN your form to the above address. Send completed form to the Soverment Issuing Contracting Officer for the Contract/PR No. Ested in Block E.

A. CONTRACT LINE ITEM NO. D. SYSTEM/ITEM		B. EXHIBIT C. CATEGORY: TDP TM OTHER X								
		E. CONTRA	l	F. CONTI						
	lator CCA							1	l	
DATA ITEM NO.	2. TITLE OF DATA ITEM	<u> </u>		3. SUBTIFL				\Box	17. PR	
A001	Engin	eering Change Pro	posal (ECP)	Configuration Ma						
AUTHORITY (Data Acquisit		5. CONTRACT I			6. REQUIRING OFFICE					
•	CMAN-80639C		SOW 3.3		MCLB	A (583))		TOT	
DD 250 REQ S. DIST STATEMENT REQUIRED		10. FREQUENCY	12. DATE OF FIRST S		14. DISTRIBUTION					
LT		ASREQ		Blk 16				ļ		
APP CODE	Δ	11. AS OF DATE	13. DATE OF SUBSECUENT SUBMISSION	D OFFIN (s. ADDRESSEE	Draft	Final		1	
A A					MCI DA (502.1)	 	Reg	Repro	1	
k 4 - Contrac	tor format submi	itted in .pdf or .doc	format is author	rized.	MCLBA (583-1)	0	1	0		
lks 10 & 12 - ermanently aft	ECPs shall be suffect the baseline	ibmitted for all proj of a configuration i	posed changes witem.	hich			ļ			
		osition determined								
		itted via E-Mail to com.usmc.mil								
		oved for Public Rel				+	 			
nlimited.	. LY	· · · · · · · · · · · · · · · · · · ·	,		<u> </u>	1				
•						<u> </u>				
					<u> </u>			\square	Ì	
						 		\vdash	I	
					<u> </u>			-		
						1			l I	
						- 				
						1			1	
					<u> </u>	 				
									i I	
						 				
						· · · · · ·			l	
						<u> </u>			I	
						···				
						-			1	
						 				
						 			1	
						1 1				
						1 1			[
						+			}	
						1 1		\vdash		
						╂╌╌┤				
						+				
•					15. TOTAL				1	
PREPARED BY		H. DATE	I. APPRO	TVFN RY	12.18181	J. DATE	<u> 1</u>	0	1	
1 -	11/			/ /		J. DATE		11	1	
BMG	((Darb	28NC	1001 J	٠, ۶		1/5		87 H		
WINCO (Alig 96 (FG)	0.40	PREVIOUS EDITION N	- ر ،			and			

Designed using Perform Pro, WHS/DIOR, Aug 96

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

Designed using Perform Pro, WHS/DIOR, Aug 96

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reporting this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suits 1204, Arfington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of leave, no person shall be subject to any penetry for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NDT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Sated in Block E.

A. CONTRACT LINE ITEM NO. D. SYSTEM/ITEM		B. EXHIBIT		C. CATEGORY: TDP TM OTHER X							
		E. CONTRACT/PR NO.			F. CONTR						
	lator CCA										
1. DAYA ITEM NO.	2. TITLE OF DATA ITEM			· —	3. SUBTITLE						17. PRICE
A002		Request	For Deviation	Configuration Management							
4. AUTHORITY (Data Acquisiti			S. CONTRACT REFEREN		l	6. REQUIRING	-				18. ESTIA TOTA
DI-CMAN-80640C		SOW 3.3				MCLBA (583)					
7. OD 250 REQ 8. DIST STATEMENT REQUIRED		10. FREQUENCY ASREQ		12. DATE OF FIRST SUBMISSION See Blk 16		14. DISTRIBUTION					
8. APP CODE		11. AS OF DATE		13. DATE OF SUBSEQUENT		a, ADDRESSEE	NORESSEE		inal	.¦ L	
A	Α			SUBMISSION		a. ADDITEOLE		Draft Reg Repro			1
18. REMARKS Blk 4 - Contractor format submi		itted in mdf or doc for		mot is systemized		MCLBA (583-1)		0	1	0	1 i
Blks 10 & 12 - I nonconforming : documentation.	RFDs shall be su material which d	ibmitted to loes not m	o obtain author leet prescribed	rization to deliver configuration							
RFDs will be re receipt by the G	eviewed and displovernment.	osition de	termined with	in 30 calendar day	s upon						
				ollowing address:							
Distribution Stat	tement A: Appro	oved for P	ublic Release;	Distribution is		-		-		$\vdash \vdash \vdash$	ļ
Unlimited.											
										\vdash	
										\vdash	
											1
	1										
						<u> </u>					
						ļ					1
											
											1
											1
			,				·				
						ļ					
											
						15. TOTAL		0	1	0	1
G. PREPARED BY	0-11	Val.	H. DATE	I. APPROVED B		1	0	J. DATI	1	à	
N/V/V	AUG 96 (EG)	WK!	Y 11 1 00 (VIOUS EDITION MAY BE		Mc	_	Page	m	11 C	